



Ohio Drystack Lambris

Product Submittals





OHIO DRYSTACK LAMBRIS

Panel Sizes and Dimensions

24" Long x 12" High x 1 1/2" Deep x
6 3/4" Long Return Corner

24" Long x 12" High x 1 1/2" Deep Flat



16 1/4" Long x 12" High x 1 1/2" Deep x
6 3/4" Long Return Corner

24" Long x 4" High x 1 1/2" Deep Flat





24"x12"x 1 1/2" Ohio Drystack Lambris



Average Thickness: 1.5"

- 24"x12"x1 1/2" Ohio Drystack Lambris Flat
- Product Code: OD.L.FLAT-24x12x1.5

QUALITY STONE VENEER, INC.

PHONE: 1-800-795-3229
FAX: 717-786-4038



WWW.QUALITYSTONEVENEER.COM

est. 1976



24"x4"x1 1/2" Ohio Drystack Lambris Flat



Average Thickness: 1.5"

- 24"x4"x1 1/2" Ohio Drystack Lambris Flat
- Product Code: OD.L.FLAT-24x4x1.5

QUALITY STONE VENEER, INC.

PHONE: 1-800-795-3229
FAX: 717-786-4038

WWW.QUALITYSTONEVENEER.COM





est. 1976

16 1/4" x 12" x 1 1/2" Ohio Drystack Lambris Corner



Average Thickness: 1.5"

- 16 1/4" x 12" x 1 1/2" Ohio Drystack Lambris Corner
- Product Code: OD.L.CRNR-16.25x12x1.5

QUALITY STONE VENEER, INC.

PHONE: 1-800-795-3229
FAX: 717-786-4038

WWW.QUALITYSTONEVENEER.COM




est. 1976



est. 1976

24"x12"x1 1/2" Ohio Drystack Lambris Corner



Average Thickness: 1.5"

- 24"x12"x1 1/2" Ohio Drystack Lambris Corner
- Product Code: OD.L.CRNR-24x12x1.5

QUALITY STONE VENEER, INC.

PHONE: 1-800-795-3229
FAX: 717-786-4038

WWW.QUALITYSTONEVENEER.COM



est. 1976